


# accent

## CEILINGS AND WALLS


A DIVISION OF ADAMS CAMPBELL COMPANY  
ISO 9001: 2000 CERTIFIED

### TORSION SPRING MOUNTED CEILING SYSTEM (SureWood AC-440F)




PATENT PENDING # 11 / 359 / 316


- Description:** Real wood veneer facing eliminates cost and warping issues of a real wood ceiling panel. Concealed torsion spring mounting system creates a clean monolithic appearance. 1/16" wide reveal condition at all panel joints. Perforated or Non-Perforated. Concealed heavy-duty tee bar grid system supports each panel. Each individual panel can be removed without disturbing adjacent panels.
- Application:** Ceiling provided for a flat interior installation. (See AC-440C for curved application)
- Material:** Panels are aluminum with real wood facing laminated to face of panel.
- Finishes:** Real wood veneer facing include Maple, Birch, Ash, Cherry and Oak  
Reference Options tab for additional finishes available.
- Standard Sizes:** 24" x 24", 24" x 48", 30" x 30", 36" x 36", 36" x 60", 30" x 72", 30" x 96" and 48" x 48". Custom sized and shaped panels also available.
- Fire Rating:** Class A
- Acoustics:** NCR rating of .70 to .100 can be achieved by selecting correct perforation pattern and acoustical backing.
- Perforation:** Reference Options Tab for Patterns, consult manufacturer for acoustical values
- Recycled content:** Aluminum 60% · Steel 33% · Stainless Steel 69%




**1** PANEL JOINT DETAIL  
AC-440F-PJ1




**2** PERIMETER DETAIL  
AC-440F-P1




**3** PERIMETER DETAIL  
AC-440F-P2




**4** PERIMETER DETAIL  
AC-440F-P3




**5** PERIMETER DETAIL  
AC-440F-P4




**6** PERIMETER DETAIL  
AC-440F-P5




**1** PERIMETER DETAIL  
AC-440F-P6




**2** PERIMETER DETAIL  
AC-440F-P7



**3** PERIMETER DETAIL  
AC-440F-PFC1



**4** PERIMETER DETAIL  
AC-440F-PFC2



**5** PERIMETER DETAIL  
AC-440F-PFC3